





Product Features

- Activates Reverse camera input in Porsche vehicles with PCM4 systems.
- Rear-view camera input.
- Front camera input.
- With OE type Dynamic Parking Guide Lines.
- On-screen display setup.

Vehicle Applications

PORSCHE	Screen Size: 7"		
2017	718		
2017	911		
2017	Cayenne		
2017	Macan		
2017	Panamera		

Navigation / Radio Compatibility

- Works on Porsche vehicles with PCM4 systems.

Parts Included







RVCPR-66K Module

Power Harness

OSD Board



LVDS Cable



5-Pin RGB Cable

1 /

rev.011317

Crux Interfacing Solutions www.cruxinterfacing.com





tel. #: (818) 609-9299 fax #: (818) 996-8188





Wiring Diagram





5

Crux Interfacing Solutions www.cruxinterfacing.com



tel. #: (818) 609-9299 fax #: (818) 996-8188

rev.011317




RVCPR-66K






Installation Instructions


Review the connection of the LVDS cable below.



Install the camera (not included) and route the cable to the location of the RVCPR-66K module. Plug the Yellow RCA connector of the camera cable to the female RCA of the RVCPR-66K. Please take note of the Rear Cam RCA input.



Remove the radio and make the wiring connections at the Quadlock connector. See diagrams below and next page.



3/5 rev.011317






tel. #: (818) 609-9299


fax #: (818) 996-8188








Unplug Quadlock connector.



Pull out the GRAY connector.



Plug the GRAY connector to the male GRAY connector of the PR-66K harness. Take note of the pin location. (circled)



Make sure that the tab line up with the open side of the male connector.

OSD CONTROLLER

The RVCPR-66K settings can be configured by using the OSC Control board included. Plug it into the 10-pin connector next to the DIP switches. See MENU settings below and on the next page.



KENU	Conf	is NAVI	
Config	NAVI-RGB	KD900(WVGA)	
Option	NAVI-AV	Default	
Image	DVD	ELT-980XU Slim	
Screen	DVB-T(DMB)	ELT-DVBT20	
Parking	BlackBox	Default	

MENU	OSD Menu ON / OFF
SEL	Item / Value Select
UP	Cursor Up
DOWN	Cursor Down

4/5 rev.011317





tel. #: (818) 609-9299 fax #: (818) 996-8188





FIRST MENU	SECOND MENU	THIRD MENU	ACTION		
FIRST MENU	SECOND MENO	İ			
	REARCAM-TYPE	OEM	OEM CAMERA		
		EXT DEVICE	AFTERMARKET CAMERA		
		ON	CONSTANT POWER TO CAMERA		
	REARCAM-POWER	AUTO	CAMERA POWER ON REVERSE GEAR		
		OFF	SHUT OFF CAMERA		
	REARCAM-DET	P>>	MANUAL PARK BUTTON		
		GEAR	REVERSE GEAR		
OPTION	EDONT CAM TYPE	OEM	OEM CAMERA		
OI HON	FRONT-CAM TYPE	EXT DEVICE	AFTERMARKET CAMERA		
	FRONT-CAM POWER	ON	CONSTANT POWER TO CAMERA		
		AUTO	CAMERA POWER ON REVERSE GEAR		
		OFF	SHUT OFF CAMERA		
	REARCAM-RCV OPTION	ON	SHOW FRONT CAM 25 SEC AFTER REVERSE		
		OFF	DEFAULT		
	RESET	EXECUTE	RESET TO FACTORY SETTINGS		
SCREEN	CHANGE SCREEN SET	rings			
DARKING	LINE DISPLAY	ON	TURN ON PARKING LINES		
		OFF	TURN OFF PARKING LINES		
	WARNINGS LANG	CHOOSE WARNING LANGUAGE			
PARKING	HORIZONTAL	MOVE PARKING LINES LEFT AND RIGHT			
	VERTICAL	MOVE PARKING LINES UP AND DOWN			
	TRANSPARENCY	CHANGE TRANSPARENCY OF PARKING LINE SHADING			

DIP Switch Settings

DIP	FUNCTION	SELECTION		
1	Navi	ON: Not Used / OFF: Used		
2	Video Mode	ON: Not Used / OFF: Used		
3	No Function	Set to OFF		
4	No Function	Set to OFF		
5				
6	On The Orlandian	One Balance		
7	Car Type Selection	See Below		
8				

VEHICLE	DIP SETTING (ON= Down / OFF = Up)				
	5	6	7	8	
PORSCHE					
	ON	ON	OFF	ON	

[']5 rev.011317

Crux Interfacing Solutions www.cruxinterfacing.com



tel. #: (818) 609-9299 fax #: (818) 996-8188